



**GRANT EXPIRES 180
DAYS AFTER DATE
OF ISSUANCE.**

RESIDENTIAL FLOOD CONTROL GRANT

SUBMITTALS REQUIRED FOR REIMBURSEMENT

PLUMBING CONTRACT

The applicant shall submit the authorized contract which indicates the estimated price for the proposed work.

RECEIPT OF PAYMENT

The applicant shall submit proof of payment in the form of a receipt and/or cancelled check.

CONTRACTOR AFFIDAVIDTS & WAIVERS (blank forms attached):

The applicant shall submit the attached affidavit and waivers, signed by the contractor and sub-contractors.

PLUMBING INSPECTION APPROVAL:

The applicant shall submit proof of plumbing inspection and approval

SPECIFICATIONS AND CONDITIONS

All work performed in association with the Village of Harwood Heights Residential Flood Relief Grant shall conform to the following Terms and Conditions:

GENERAL CONDITIONS:

- 1. The applicant will be responsible for solicitation and authorization of a plumbing contract with a competent, licensed plumber.**
- 2. The applicant will be responsible for the initial payment of the plumbing work. Reimbursement will only be provided when proof of payment is provided.**
- 3. The grant will expire 180 calendar days after the date of issuance. All permitted work must be completed within this period.**
4. The work shall conform to all Building Code regulations of the Village of Harwood Heights, the Chicago Plumbing Code, 1999 Edition, and subsequent amendments thereto, the Chicago Electrical Code, 2004 Edition, and subsequent amendments, and the 2003 International Building Code.
5. The contractor shall provide the homeowner and village with as-built drawings depicting final installation conditions. Drawings may be sketches and are not required to be scaled architectural drawings, but should indicate the size and orientation of installed plumbing appurtenances. Manufacturer information should be provided for all pumps or other mechanical equipment which is installed as a part of the project.
6. The sump basin shall not measure less than 18" x 30".
7. The ejector pump shall be a minimum 2" submersible pump which is capable of pumping 25-90 gallons per minute at a minimum of 5' total dynamic head. The pump shall have a minimum horsepower of ½ HP. The location of the sump basin, as well as the length of the electrical lead for the pump, shall allow for easy access and removal for maintenance purposes.
8. Backflow prevention valves shall be the same diameter as the house lateral. Assess for maintenance and repair of the backflow prevention valve shall be provided by installing the unit in a minimum 48" precast.
9. Contractor is responsible for the restoration of all interior and exterior surfaces to conditions which existed prior to the start of construction.

HOMEOWNER CERTIFICATION

The undersigned hereby certifies that he has read and examined this application and that the proposed work is accurately and completely represented in the statements made in this application. The undersigned further understands that no work shall be performed prior to the issuance of an approved permit, and that all work shall be executed in accordance with the terms and conditions as established by this document. The undersigned further acknowledges that deviations from the approved permit plan that have not been subsequently approved in writing by the Village Engineer shall result in immediate revocation of the permit, issuance of fines, and require full restoration of the disturbed areas to the pre-existing conditions. Homeowner further understands that reimbursement will be provided only to the amount approved in the initial grant, regardless of the final cost of work. In no case will the reimbursement amount exceed \$1500. Reimbursement will be provided only after submittal of proof of contract and full payment, contractor’s affidavits and waivers, and proof of inspection and approval.

Signature of Homeowner

Date

CONTRACTOR CERTIFICATION

The undersigned hereby certifies that he has read and examined this application and that the proposed work is accurately and completely represented in the statements made in this application. The undersigned further understands that no work shall be performed prior to the issuance of an approved permit, and that all work shall be executed in accordance with the terms and conditions as established by this document. The undersigned further acknowledges that deviations from the approved permit plan that have not been subsequently approved in writing by the Village Engineer shall result in immediate revocation of the permit, issuance of fines, and require full restoration of the disturbed areas to the pre-existing conditions. The Contractor’s Performance Bond will be utilized for this purpose if necessary.

Signature of Contractor

Date

Village of Harwood Heights Engineering Department

7300 W. Wilson Avenue, Harwood Heights, IL 60706
(708) 867-7200